

1-5/8" RADIAFLEX® RAY Cable, A-series

- RADIAFLEX® functions as a distributed antenna to provide communications in tunnels, mines and large building complexes and is the solution for any application in confined areas.
- Slots in the copper outer conductor allow a controlled portion of the internal RF energy to be radiated into the surrounding environment. Conversely, a signal transmitted near the cable will couple into the slots and be carried along the cable length.
- RADIAFLEX® is used for both one-way and two-way communication systems and because of its broadband capability, a single radiating cable can handle multiple communication systems simultaneously.
- This RADIAFLEX® radiating cable utilize a low-loss cellular polyethylene foam dielectric and a smooth copper outer conductor which offers a superior electrical performance together with good bending properties.

FEATURES / BENEFITS

- Broadband from 30 MHz to 1000 MHz
- · Optimized for high frequencies and digital transmission
- Low coupling loss variation
- For tunnel applications



RAY cable, A-series

Technical features

GFNFR/	AL CDE	CIEICA:	TIONIC
(3FINEK/	AI SPFU	IFILA	HUNNS

Size		1-5/8		
ELECTRICAL SPECIFICATIONS				
Max. Operating Frequency	MHz	1000		
Cable Type		RAY		
Impedance	Ohm	50 +/- 2		
Velocity, percent	%	89		
Capacitance	pF/m (pF/ft)	76 (23.2)		
Inductance, uH/m (uH/ft)	μH/m (μH/ft)	0.19 (0.058)		
DC-resistance inner conductor, ohm/km (ohm/1000ft)	Ω/km (Ω/1000ft)	1.62 (0.49)		
DC-resistance outer conductor, ohm/km (ohm/1000ft)	Ω/km (Ω/1000ft)	1.47 (0.45)		
Stop bands	MHz	240-300, 500-590, 750-860		
Frequency Selection	MHz	600, 900		

RAY158-50JFLA REV : P2 REV DATE : 19 Sep 2024 www.rfstechnologies.com

Frequency, MHz

75

150

450

870

900

960

Jacket		JFL	
Jacket Description		Halogen free, non corrosive, flame and fire retardant, low smoke, polyolefin + flame barrier tape above outer conductor for lowest cable loss	
Slot Design		Groups of slope slots at short intervals	
Inner Conductor Material		Corrugated Copper Tube	
Outer Conductor Material		Overlapping Copper Strip	
Diameter Inner Conductor	mm (in)	17.6 (0.69)	
Diameter Outer Conductor	mm (in)	44.2 (1.74)	
Diameter over Jacket Nominal	mm (in)	48.2 (1.9)	
Minimum Bending Radius, Single Bend	mm (in)	700 (28)	
Cable Weight	kg/m (lb/ft)	1.01 (0.68)	
Tensile Force	N (lb)	1200 (270)	
Indication of Slot Alignment		Guides opposite to slots	
Recommended / Maximum Clamp Spacing	m (ft)	1.5 (5)	
Minimum Distance to Wall	mm (in)	80 (3.15)	
TESTING AND ENVIRONMENTAL			
Jacket Testing Methods		Test methods for fire behaviour of cable: IEC 60754-1/-2 smoke emission: halogen free, non corrosive IEC 61034 low smoke IEC 60332-1 flame retardant IEC 60332-3-24 fire retardant UL1666, ASTM E 662, NES711 and NES713	
TEMPERATURE SPECIFICATIONS			
Storage Temperature	°C(°F)	-70 to 85 (-94 to 185)	
Installation Temperature	°C(°F)	-25 to 60 (-13 to 140)	
Operation Temperature	°C(°F)	-40 to 85 (-40 to 185)	

RAY158-50JFLA REV : P2 REV DATE : 19 Sep 2024 www.rfstechnologies.com

Coupling Loss 50%, dB

62 (65)

69 (72)

64 (67)

60 (60)

60 (60)

58 (60)

Longitudinal Loss, dB/100 m (dB/100

0,56 (0,17)

0,78 (0,24)

1,51 (0,46)

2,85 (0,87)

3,04 (0,93)

3,38 (1,03)

Coupling Loss 95%, dB

72 (75)

80 (83)

69 (72)

63 (66)

63 (66)

61 (66)



External Document Links

Notes

- Coupling loss as well as longitudinal attenuation of RADIAFLEX® cables are measured by the free space method according to IEC 61196-4.
- Coupling loss values are measured with a radial (below 300 MHz) or orthogonal (above 300 MHz) orientated dipole antenna.
- The coupling loss values given in brackets are average values of all three spatial orientations (radial, parallel and orthogonal) of dipole antenna.
- Coupling loss values are given with a tolerance of +5 dB and longitudinal loss values with a tolerance of +5%. Note: Measured values below nominal are better. They are not limited by any tolerance-range.
- In case of a conflict of operational and stop band, please contact RFS Technologies for further assistance.
- As with any radiating cable, the performance in building or tunnel environments may deviate from figures based on free space method.

RAY158-50JFLA REV : P2 REV DATE : 19 Sep 2024 www.rfstechnologies.com