

- RADIAFLEX® functions as a distributed antenna to provide communications in tunnels, mines and large building complexes and is the solution for any application in confined areas.
- · Slots in the copper outer conductor allow a controlled portion of the internal RF energy to be radiated into the surrounding environment. Conversely, a signal transmitted near the cable will couple into the slots and be carried along the cable length.
- · RADIAFLEX® is used for both one-way and two-way communication systems and because of its broadband capability, a single radiating cable can handle multiple communication systems simultaneously.
- This RADIAFLEX® radiating cable utilize a low-loss cellular polyethylene foam dielectric and a corrugated copper outer conductor which offers a combination of remarkable flexibility, high strength and excellent electrical performance.

#### **FEATURES / BENEFITS**

- Broadband radiating cable supporting all wireless application between 75 MHz to 6000 MHz
- Ideally suited for application that require low bending radii
- · Robust radiating cable operational under all environmental conditions as e.g. harsh tunnels or mines
- Ideal for In-train, Vehicle-to-Everything communication and In aircraft to wireless/satellite networks



RCF cable

# **Technical features**

<b>GFN</b>	FRAI	<b>SPFCI</b>	FICA	TIONS

Size		1/2		
ELECTRICAL SPECIFICATIONS				
Max. Operating Frequency	MHz	6000		
Cable Type		RCF		
Impedance	Ohm	50 +/- 2		
Velocity, percent	%	88		
Capacitance	pF/m (pF/ft)	76 (23.2)		
Inductance, uH/m (uH/ft)	μH/m (μH/ft)	0.19 (0.058)		
DC-resistance inner conductor, ohm/km (ohm/1000ft)	Ω/km (Ω/1000ft)	1.57 (0.48)		
DC-resistance outer conductor, ohm/km (ohm/1000ft)	Ω/km (Ω/1000ft)	2.23 (0.68)		
Stop bands	MHz	None		
Frequency Selection	MHz	600, 900, 1800/1900, 2200, 2400, 2500, 2700, 6000		

www.rfstechnologies.com RCF12-50JFL REV: P3 REV DATE: 21 May 2024

MECHANICAL SPECIFICATIONS			
Jacket		JFL	
Jacket Color		Standard Black, other colors on request	
Jacket Description		Halogen free, non corrosive, flame and fire retardant, low smoke, polyolefin + flame barrier tape above outer conductor for lowest cable loss	
Slot Design		Milled (Two-Row)	
Inner Conductor Material		Copper Clad Aluminum Wire	
Outer Conductor Material		Corrugated Copper Tube	
Diameter Inner Conductor	mm (in)	4.8 (0.19)	
Diameter Outer Conductor	mm (in)	13.8 (0.54)	
Diameter over Jacket Nominal	mm (in)	16 (0.63)	
Minimum Bending Radius, Single Bend	mm (in)	125 (4.9)	
Cable Weight	kg/m (lb/ft)	0.22 (0.15)	
Tensile Force	N (lb)	1000 (225)	
Indication of Slot Alignment		None	
Recommended / Maximum Clamp Spacing	m (ft)	0.6 (2)	
Minimum Distance to Wall	mm (in)	50 (1.97)	
TESTING AND ENVIRONMENTAL			
Jacket Testing Methods		Test methods for fire behaviour of cable: IEC 60754-1/-2 smoke emission, halogen free, non corrosive IEC 61034 low smoke IEC 60332-1 flame retardant IEC 60332-3-24 fire retardant	
TEMPERATURE SPECIFICATIONS			
Storage Temperature	°C(°F)	-70 to 85 (-94 to 185 )	
Installation Temperature	°C(°F)	-25 to 60 (-13 to 140 )	
Operation Temperature	°C(°F)	-40 to 85 (-40 to 185 )	

RCF12-50JFL REV : P3 REV DATE : 21 May 2024 www.rfstechnologies.com



### ATTENUATION

Frequency, MHz	Longitudinal Loss, dB/100 m (dB/100 ft)	Coupling Loss 50%, dB	Coupling Loss 95%, dB	
75	2.20 (0.67)	50	62	
150	3.15 (0.96)	59	71	
450	5.70 (1.74)	67	79	
800	7.83 (2.39)	67	79	
870	8.25 (2.51)	66	79	
900	8.40 (2.56)	66	78	
960	8.65 (2.64)	66	78	
1800	13.1 (3.99)	68	80	
1900	13.6 (4.15)	69	81	
2000	14.0 (4.27)	72	84	
2200	14.7 (4.48)	70	82	
2400	15.3 (4.66)	70	82	
2600	15.9 (4.85)	70	82	
5000	24.8 (7.56)	75	87	
5200	25.7 (7.83)	75	87	
5800	27.6 (8.41)	75	87	
6000	29.9 (8.81)	75	87	

## **External Document Links**

#### Notes

- Coupling loss as well as longitudinal attenuation of RADIAFLEX® cables are measured by the free space method according to IEC 61196-4.
- Coupling loss values are average values of all three spatial orientations (radial, parallel and orthogonal) of dipole antenna.
- Coupling loss values are given with a tolerance of +10 dB and longitudinal loss values with a tolerance of +5%. Note: Measured values below nominal are better. They are not limited by any tolerance-range.
- As with any radiating cable, the performance in building or tunnel environments may deviate from figures based on free space method.

RCF12-50JFL REV : P3 REV DATE : 21 May 2024 www.rfstechnologies.com