

4" Feed Through Boot Assembly Hole for E105 Waveguide FEATURES / BENEFITS

These innovative boot assemblies feature a one-piece design which reduces installation time. The split, one-piece style simplifies clamping and frees the installers hands to position the cable runs. Boot assemblies are designed to be fitted onto 4"" entry panels in wall/roof feed-through applications. The durable boot is designed to met ASTM-D2000 and SAE J200 specifications. Each boot assembly includes the boot, two round member adapter clamps which fit inside the boot assembly to hold the waveguide in place.



Picuture shows BOOT4-065 for illustration purpose

Technical features

External Document Links

| STRUCTURE | | |
|------------------------------|---------|----------------------------------|
| Product Line | | Elliptical Waveguide Accessories |
| Product Type | | Wall/Roof Feed-Through System |
| Feed-Through Component | | Boot Assembly |
| Transmission Line Type | | E105 |
| MECHANICAL SPECIFICATIONS | | |
| Feed-Through Hole Diameter | mm (in) | 102 (4) |
| Insert Holes | | 1 |
| Color | | Black |
| Material | | EPDM rubber |
| TEMPERATURE SPECIFICATIONS | | |
| Operation Temperature, °C°F) | °C(°F) | -50 to 85 (-58 to 185) |
| Storage Temperature | °C(°F) | -50 to 85 (-58 to 185) |
| PACKAGING INFORMATION | | |
| Package Quantity | | 1 |

Notes

BOOT4-105