

# Cable hanger, non-insulated, bolt-on, for E60 elliptical waveguide

Hanger, non-insulated, bolt-on for elliptical waveguides E60 / EP60, made of stainless steel, kit of 10

## **FEATURES / BENEFITS**

Stainless steel hangers for supporting elliptical waveguide or coaxial cable to tower. Recommended spacing 1m (3 feet). Hanger may be attached to angle adapters, tower standoffs, member mounting holes with up to M10 or 3/8"-16 hardware or to round member adapters through slot



# **Technical features**

		TIONS

Product Line	Elliptical Waveguide Accessories
Product Type	Hanger
Hanger Type	Bolt-On, non-insulated
Transmission Line Type	E60 EP60

### **MECHANICAL SPECIFICATIONS**

Number of Cable / Waveguide Runs	1
Material	Stainless Steel

## **TEMPERATURE SPECIFICATIONS**

Operation Temperature	°C (°F)	-50 to 85 (-58 to 185 )
Storage Temperature	°C (°F)	-50 to 85 (-58 to 185 )

#### **PACKAGING INFORMATION**

1	TACKAGING INTOKWATION			
	Package Quantity		10	

**External Document Links** 

Notes

CLAMP-060 REV : A REV DATE : 09 Oct 2011 www.rfstechnologies.com