

# Three-way Snap-in Stand-off with round member adapter for 51-102mm (2-4") round members

Three-way stainless steel standoff adapter for mounting of up to 3 snap-in hangers. Has three 19mm (3/4in) holes. Stainless steel round member adapter 51-102mm (2-4in) and hardware kit included

#### **FEATURES / BENEFITS**

- Constructed of heavy stainless steel
- •The stand-offs provide 1-1/4" (30 mm) tower clearance to hangers when running waveguide over tower cross members, flanges and other tower obstacles.
- •The kit consists of ten stainless steel tower stand-offs with stainless steel hardware.
- •Use with Threaded Rod Kit for additional tower clearance.



Stand-off Kit KRTS4-3C

# **Technical features**

ΓR			

Product Line		•	guide Accessories ble Accessories
Product Type		Installatio	on Hardware
Installation Hardware Type	ion Hardware Type Round Member Tower Stand-off Kit		Tower Stand-off Kit
Coaxial Cable Type		Air Dielectric	Foam Dielectric
Hardware Kit		1x tapped insert with 3/8" threaded hole 1x Screw 3/8" x 3/4" <b>1x Spring washer</b> <b>1x Round Member Adapter</b>	

## **MECHANICAL SPECIFICATIONS**

Insert Holes		3x 19mm (3/4") holes
Tower Member Diameter	mm (in)	51 - 102 (2 - 4 )
Material		Stainless Steel

### **TEMPERATURE SPECIFICATIONS**

Installation Temperature	°C (°F)	-50 to 85 (-58 to 185 )
Operation Temperature	°C (°F)	-50 to 85 (-58 to 185 )
Storage Temperature	°C (°F)	-50 to 85 (-58 to 185 )

### **PACKAGING INFORMATION**

Package Quantity		10
Weight per kit	kg (lb)	0.58 (1.28)

#### **External Document Links**

Notes

KRTS4-3C REV : B REV DATE : 25 Apr 2013 www.rfstechnologies.com