



SFS-12-F

Fire secured metal tie used in conjunction with Smart fixing Solution clamp SFS-12-01 for fire secured installation of RFS Technologies RADIAFLEX radiating cables

Fire Secure Tie for SFS-12-01

FEATURES / BENEFITS

Stainless steel, 1.4401 (A4)

Fire resistance acc. EN 1363-1:2012-10 under 50 N load >75 min

Fire resistance acc. EN 1363-1:2012-10 under 100 N load >45 min



Technical features

STRUCTURE

Product Line		Radiating Cable Accessories
Product Type		Installation Hardware
Installation Hardware Type		Fire Secure Tie
Transmission Line Type		Indoor Solutions
Coaxial Cable Type		Radiating Cable
Cable Size		1/2"

MECHANICAL SPECIFICATIONS


Material		Stainless Steel, 1.4401 (A4) acc. EN 10088
----------	--	--

TEMPERATURE SPECIFICATIONS

Installation Temperature	°C (°F)	-50 to 85 (-58 to 185)
Operation Temperature	°C (°F)	-50 to 85 (-58 to 185)
Storage Temperature	°C (°F)	-50 to 85 (-58 to 185)

PACKAGING INFORMATION

Package Quantity		50
------------------	--	----





SFS-12-F

Fire secured metal tie used in conjunction with Smart fixing Solution clamp SFS-12-01 for fire secured installation of RFS Technologies RADIAFLEX radiating cables

External Document Links

Notes